


OPTION #1



OPTION #2

CITY OF PEMBROKE PINES
ENGINEERING/UTILITIES DIVISION

STANDARD ROAD DETAIL


APPROVED: K.M.K.

REVISED:

DATE: 05/17/18

05/17/18

STANDARD PARKING SPACE




R-41

SHEET 1 OF 3


6" DIAMETER GALVANIZED STEEL PIPE BOLLARD FILLED WITH CONCRETE AND PAINTED WITH REFLECTORIZED SAFETY PAINT OR HAVING APPROVED BOLLARD COVERS/SLEEVES. (ENGINEER SHALL PROVIDE DESIGN DETAIL FOR BOLLARD ADDRESSING APPROPRIATE IMPACT RESISTANCE LEVEL/IMPACT PROTECTION PER ASTM FM30/6M)

5' (MIN.) CONCRETE SIDEWALK W/ THICKENED EDGE



OPTION #3

CITY OF PEMBROKE PINES ENGINEERING/UTILITIES DIVISION		STANDARD ROAD DETAIL			<h1>R-41</h1>
APPROVED: <u> K.M.K. </u>	REVISED: _____	STANDARD PARKING SPACE			
DATE: <u> 05/17/18 </u>	<u> 10/30/19 </u> <u> 05/17/18 </u>				



OPTION #4

CITY OF PEMBROKE PINES ENGINEERING/UTILITIES DIVISION		STANDARD ROAD DETAIL		<h1>R-41</h1>
APPROVED: <u> K.M.K. </u>	REVISED: _____	STANDARD PARKING SPACE		
DATE: <u> 10/28/19 </u>	<u> 10/28/19 </u>			SHEET 3 OF 3